



SHREE KRISHNA ANALYTICAL SERVICES PVT. LTD.

(An ISO 9001 : 2015, ISO 14001 : 2015 & OHSAS 18001 : 2007)

Govt. Approved Laboratory, Recognised by MoEF

A-5/4, Mayapuri Industrial Area, Phase-II, New Delhi-110064, Ph. : 011-28115459, 41848475, 9654958

E-mail : shreekrishnalab@gmail.com, info@skaslab.com, Web. : www.skaslab.com



TEST CERTIFICATE

ENVT/RF/02

Issued To	OM SONS MARKETING PVT. LTD.	Report No	ENV-200921066
	VILLAGE-SANGAT KALAN BHATINDA (PUNJAB)	Date Of Sampling	18/09/2021
	PUNJAB	Date of sample Received	20/09/2021
Nature of the Sample	BOREWELL WATER	Test Started On	20/09/2021
Customer Ref. No	NS	Test Completed on	25/09/2021

Description : One Borewell Water Sample was collected by us on 18.09.2021

SAMPLING & ANALYSIS DATA

Sample Drawn By : Mr. Abhishek
Sampling Location : NS
Sample Quantity : 2.0 Ltr + 500 ml
Sample packing Details : Insealed plastic Bottle & Glass Bottle
Required Test Standard : IS 10500 -2012

TEST RESULTS

ORGANOLEPTIC AND PHYSICAL PARAMETERS

S.No.	Parameters	Results	Units	Acceptable Limits (as per IS:10500-2012)	Permissible Limits (as per IS:10500-2012)	Protocols
1	Colour	<5	Hazen	5	15	IS:3025 (P-4)
2	Odour	Agreeable	NA	Agreeable	Agreeable	IS:3025 (P-5)
3	Taste	Agreeable	NA	Agreeable	Agreeable	IS:3025 (P-7 & 8)
4	pH	7.24	NA	6.5-8.5	No Relaxation	is 3025 p-11
5	Turbidity	<1	NTU	1.0	5.0	IS:3025 (P-10)
6	Total Dissolved Solids	458.0	mg/L	500	2000.	IS:3025 (P-16)

GENERAL PARAMETERS CONCERNING SUBSTANCES UNDESIRABLE IN EXCESSIVE AMOUNTS

S.No.	Parameters	Results	Units	Acceptable Limits (as per IS:10500-2012)	Permissible Limits (as per IS:10500-2012)	Protocols
7	Iron (as Fe)	BDL(0.01)	mg/L	1.0	No Relaxation	IS:3025 (P-53)
8	Sulphate (as SO ₄)	109.0	mg/L	200	400	IS:3025 (P-24)
9	Nitrate (as NO ₃)	4.87	mg/L	45	No Relaxation	IS:3025 (P-34)
10	Alkalinity (as Ca CO ₃)	149.0	mg/L	200	600	IS:3025 (P-23)
11	Fluoride (as F)	BDL(0.1)	mg/L	1.0	1.5	IS:3025 (P-60)

Kuldeep
Analyst

Authorized Signatory

Narendra Kumar Giri

1. The results listed refer only to tested samples and applicable parameters. Endorsement of product is neither inferred nor implied.
2. Test Certificate in full or parts shall not be used for Promotional or Publicity Purposes & cannot be used as an evidence in the court of law.
3. Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
4. Total Liability of our Analytical Division is Limited to the Invoiced amount.
5. Sample (s) not drawn by us unless other wise stated.
6. Results given in report are related to sample Tested.



SHREE KRISHNA ANALYTICAL SERVICES PVT. LTD.

(An ISO 9001 : 2015, ISO 14001 : 2015 & OHSAS 18001 : 2007)

Govt. Approved Laboratory, Recognised by MoEF

A-5/4, Mayapuri Industrial Area, Phase-II, New Delhi-110064, Ph. : 011-28115459, 41848475, 9654951

E-mail : shreekrishnalab@gmail.com, info@skaslab.com, Web. : www.skaslab.com



TEST CERTIFICATE

ENVTRF/02

Issued To	OM SONS MARKETING PVT.LTD. VILLAGE-SANGAT KALAN BHATINDA (PUNJAB) PUNJAB	Report No	ENV-200921066
Nature of the Sample	BOREWELL WATER	Date Of Sampling	18/09/2021
Customer Ref. No	NS	Date of sample Received	20/09/2021
		Test Started On	20/09/2021
		Test Completed on	25/09/2021

Description : One Borewell Water Sample was collected by us on 18.09.2021

SAMPLING & ANALYSIS DATA

Sample Drawn By : Mr. Abhishek
Sampling Location : NS
Sample Quantity : 2.0 Ltr + 500 ml
Sample packing Details : Insealed plastic Bottle & Glass Bottle
Required Test Standard : IS 10500 -2012

TEST RESULTS

12	Chloride (as Cl)	105.0	mg/L	250	1000	IS:3025 (P-32)
13	Total Hardness (as CaCo3)	102.0	mg/L	200	600	IS:3025 (-21)
14	Calcium (as Ca)	18.0	mg/L	75	200	IS:3025 (P-40)
15	Magnesium (as Mg)	12.0	mg/L	30	100	IS:3025 (P-46)

Kuldeep
Analyst

Narendra Kumar Giri
Authorized Signatory

1. The results listed refer only to tested samples and applicable parameters. Endorsement of product is neither inferred nor implied.
2. Test Certificate in full or parts shall not be used for Promotional or Publicity Purposes & cannot be used as an evidence in the court of law.
3. Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
4. Total Liability of our Analytical Division is Limited to the invoiced amount.
5. Sample (s) not drawn by us unless otherwise stated.
6. Results given in report are related to sample Tested.

Narendra Kumar Giri



SHREE KRISHNA ANALYTICAL SERVICES PVT. LTD.

(An ISO 9001 : 2015, ISO 14001 : 2015 & OHSAS 18001 : 2007)

Govt. Approved Laboratory, Recognised by MoEF

A-5/4, Mayapuri Industrial Area, Phase II, New Delhi 110004, PIN: 011-28115459, 41048475, 9034956
E-mail: shreekrishna@skaslab.com, info@skaslab.com, Web: www.skaslab.com



TEST CERTIFICATE

ENV/IRF/02

Issued To	OM SONS MARKETING PVT LTD.	Report No	ENV-200921095
	VILLAGE-SANGAT KALAN, BHATINDA (PUNJAB)	Date Of Sampling	18/09/2021
	PUNJAB	Date of sample Received	20/09/2021
Nature of the Sample	BOREWELL WATER	Test Started On	20/09/2021
Customer Ref. No	NS	Test Completed on	25/09/2021

Description : One Borewell Water Sample was collected by us on 18.09.2021

SAMPLING & ANALYSIS DATA

Sample Drawn By : Mr. Abhishek
Sampling Location : NS
Sample Quantity : 2.0 Ltr + 500 ml
Sample packing Details : Insealed plastic Bottle & Glass Bottle
Required Test Standard : IS 10500 -2012

TEST RESULTS

MICROBIOLOGICAL REQUIREMENT RESULT

S.No.	Parameters	Results	Units	Acceptable Limits (as per IS:10500-2012)	Permissible Limits (as per IS:10500-2012)	Protocols
1	E. Coli	Absent/100 ml	-			IS:15185-2016
2	Coliform Bacteria	Absent/100 ml	-			IS:15185-2016

Analyst
Analyst

Authorized Signatory
Authorized Signatory

BAJAJ

1. The results listed refer only to tested samples and applicable parameters. Endorsement of product is neither inferred nor implied.
2. Test Certificate in full or parts shall not be used for Promotional or Publicity Purposes & cannot be used as an evidence in the court of law.
3. Samples will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
4. Total Liability of our Analytical Division is limited to the invoiced amount.
5. Sample (s) not shown by us unless other wise stated.
6. Results given in report are related to sample Tested.



SHREE KRISHNA ANALYTICAL SERVICES PVT. LTD.

(An ISO 9001 : 2015, ISO 14001 : 2015 & OHSAS 18001 : 2007)

Govt. Approved Laboratory, Recognised by MoEF

A-5/4, Mayapuri Industrial Area, Phase II, New Delhi-110064, Ph : 011-28115459, 41848475, 9654958120

E-mail : shreekrishnalab@gmail.com, info@skaslab.com, Web : www.skaslab.com

TEST CERTIFICATE

ENV/TPE/02

Issued To	OM SON'S MARKETING PVT.LTD. VILLAGE-SANGAT KALAN BHATINDA (PUNJAB) PUNJAB	Report No.	ENV/200921067
Nature of the Sample	SOIL	Date Of Sampling	20/09/2021
Customer Ref. No	NS	Test Started On	20/09/2021
		Test Completed on	25/09/2021

Description : One Soil Sample Was Collected by us on 18.09.2021

SAMPLING DETAILS

Sample Quantity : 2 Kg
Sample Packing & Marking : Poly bag
Sampling Location : Field Area

TEST RESULTS

S.No.	Test Parameters	Units	Results	Test Method
1	Moisture Content	%	6.84	SOP/SKAS/SOIL/07
2	pH (1:2 Suspension)	-	7.14	IS:2720 (P-26)
3	Nitrogen (as N)	Kg/Ha	453.6	IS:10158:1982,RA 2009
4	Phosphorous	Kg/Ha	33.4	IS:10158:1982,RA 2009
5	Electrical Conductivity (20% suspension)	us/cm	214.0	SOP/SKAS/SOIL/15
6	Exchangeable Calcium	mg/kg	2422.5	SOP/SKAS/SOIL/15
7	Exchangeable Sodium	mg/kg	126.1	SOP/SKAS/SOIL/15
8	Exchangeable Magnesium	mg/kg	625.4	SOP/SKAS/SOIL/15
9	Exchangeable Potassium	kg/Ha	253.2	SOP/SKAS/SOIL/15
10	Cation Exchange Capacity	meq/100 ml	19.45	By calculation

Kuldeep
Analyst

Authorized Signatory
Narendra Kumar Giri

1. The results listed refer only to tested samples and applicable parameters. Endorsement of product is neither inferred nor implied.
2. Test Certificate in full or parts shall not be used for Promotional or Publicity Purposes & cannot be used as an evidence in the court of law.
3. Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
4. Total Liability of our Analytical Division is limited to the invoiced amount.
5. Sample (s) not drawn by us unless otherwise stated.
6. Results given in report are related to sample Tested.



SHREE KRISHNA ANALYTICAL SERVICES PVT. LTD.

(An ISO 9001 : 2015, ISO 14001 : 2015 & OHSAS 18001 : 2007)

Govt. Approved Laboratory, Recognised by MoEF

A-5/4, Mayapuri Industrial Area, Phase-II, New Delhi-110064, Ph. : 011-28115459; 41848475, 9654958120

E-mail : shreekrishnalab@gmail.com, info@skaslab.com, Web. : www.skaslab.com

TEST CERTIFICATE

ENVT/RF/02

Issued To	OM SONS MARKETING PVT.LTD. VILLAGE-SANGAT KALAN BHATINDA (PUNJAB) PUNJAB	Report No.	ENV-200921065
		Date Of Sampling	20/09/2021
Nature of the Sample	Raw water piezometer-6	Test Started On	20/09/2021
Customer Ref. No	NS	Test Completed on	25/09/2021

Description : One Raw water sample marked as piezometer-6 was collected by us on:18.09.2021.

SAMPLING DETAILS

Sample Quantity : 5.0 Ltr
Sample Packing & Marking : Insealed plastic Bottle & Glass Bottle
Sampling Location : NS

TEST RESULTS

S.No.	Test Parameters	Units	Results	Method
1	Colour	Hazen	<5	IS : 3025 (P-4)
2	Odour	-	Agreeable	IS : 3025 (P-5)
3	pH	-	7.36	IS : 3025 (P-11)
4	Total Dissolved Solids	mg/l	722	IS:3025 (P-16)
5	Biochemical Oxygen Demand(for 3 days at 27 deg. C)	mg/l	BDL(<2)	IS : 3025 (P-44)

Remarks : Detection Limit (mg/l)

End of Report

Kuldeep
Analyst


Authorized Signatory

Narendra Kumar Giri

1. The results listed refer only to tested samples and applicable parameters. Endorsement of product is neither inferred nor implied.
2. Test Certificate in full or parts shall not be used for Promotional or Publicity Purposes & cannot be used as an evidence in the court of law.
3. Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
4. Total Liability of our Analytical Division is Limited to the invoiced amount.
5. Sample (s) not drawn by us unless other wise stated.
6. Results given in report are related to sample Tested.



SHREE KRISHNA ANALYTICAL SERVICES PVT. LTD.

(An ISO 9001 : 2015, ISO 14001 : 2015 & OHSAS 18001 : 2007)

Govt. Approved Laboratory, Recognised by MoEF

A-5/4, Mayapuri Industrial Area, Phase-II, New Delhi-110064, Ph. : 011-28115459, 41848475, 9654958120

E-mail : shreekrishnalab@gmail.com, info@skaslab.com, Web. : www.skaslab.com

TEST CERTIFICATE

ENVT/RF/02

Issued To	OM SONS MARKETING PVT.LTD. VILLAGE-SANGAT KALAN BHATINDA (PUNJAB) PUNJAB	Report No.	ENV-200921064
Nature of the Sample	Raw water Piezometer-5	Date Of Sampling	20/09/2021
Customer Ref. No	NS	Test Started On	20/09/2021
		Test Completed on	25/09/2021

Description : One Raw water sample marked as piezometer-5 was collected by us on.18.09.2021

SAMPLING DETAILS

Sample Quantity : 5.0 Ltr
Sample Packing & Marking : Insealed Plastic Bottle & Glass Bottle
Sampling Location : NS

TEST RESULTS

S.No.	Test Parameters	Units	Results	Method
1	Colour	Hazen	<5	IS : 3025 (P-4)
2	Odour	-	Agreeable	IS : 3025 (P-5)
3	pH	-	7.33	IS : 3025 (P-11)
4	Total Dissolved Solids	mg/l	742	IS:3025 (P-16)
5	Biochemical Oxygen Demand(for 3 days at 27 deg. C)	mg/l	BDL(<2)	IS : 3025 (P-44)

Remarks : Detection Limit (mg/l)

End of Report

Kuldeep
Analyst


Authorized Signatory

Narendra Kumar Giri

1. The results listed refer only to tested samples and applicable parameters. Endorsement of product is neither inferred nor implied.
2. Test Certificate in full or parts shall not be used for Promotional or Publicity Purposes & cannot be used as an evidence in the court of law.
3. Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
4. Total Liability of our Analytical Division is Limited to the Invoiced amount.
5. Sample (s) not drawn by us unless other wise stated.
6. Results given in report are related to sample Tested



SHREE KRISHNA ANALYTICAL SERVICES PVT. LTD.

(An ISO 9001 : 2015, ISO 14001 : 2015 & OHSAS 18001 : 2007)

Govt. Approved Laboratory, Recognised by MoEF

A-5/4, Mayapuri Industrial Area, Phase-II, New Delhi-110064, Ph. : 011-28115459, 41848475, 9654958120

E-mail : shreekrishnalab@gmail.com, info@skaslab.com, Web : www.skaslab.com

TEST CERTIFICATE

ENV/RF/02

Issued To	OM SONS MARKETING PVT.LTD. VILLAGE-SANGAT KALAN BHATINDA (PUNJAB) PUNJAB	Report No.	ENV-200921063
Nature of the Sample	Raw Water piezometer-4	Date Of Sampling	20/09/2021
Customer Ref. No	NS	Test Started On	20/09/2021
		Test Completed on	25/09/2021

Description : One Raw water sample marked as piezometer-4 was collected by us on 18.09.2021

SAMPLING DETAILS

Sample Quantity : 5.0 Ltr
Sample Packing & Marking : Insealed Plastic Bottle & Glass Bottle
Sampling Location : NS

TEST RESULTS

S.No.	Test Parameters	Units	Results	Method
1	Colour	Hazen	<5	IS : 3025 (P-4)
2	Odour	-	Agreeable	IS : 3025 (P-5)
3	pH	-	7.28	IS : 3025 (P-11)
4	Total Dissolved Solids	mg/l	748.0	IS:3025 (P-16)
5	Biochemical Oxygen Demand(for 3 days at 27 deg. C)	mg/l	BDL(<2)	IS : 3025 (P-44)

Remarks : Detection Limit (mg/l)

End of Report

Kuldeep
Analyst

Narendra Kumar
Authorized Signatory

1. The results listed refer only to tested samples and applicable parameters. Endorsement of product is neither inferred nor implied.
2. Test Certificate in full or parts shall not be used for Promotional or Publicity Purposes & cannot be used as an evidence in the court of law.
3. Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
4. Total Liability of our Analytical Division is limited to the invoiced amount.
5. Sample (s) not drawn by us unless otherwise stated.
6. Results given in report are related to sample Tested.

Narendra Kumar



SHREE KRISHNA ANALYTICAL SERVICES PVT. LTD.

(An ISO 9001 : 2015, ISO 14001 : 2015 & OHSAS 18001 : 2007)

Govt. Approved Laboratory, Recognized by MHT

A-5/4, Mayapuri Industrial Area, Phase II, New Delhi-110064, Ph : 011-26116454, 41544476, 9654548120

E-mail : shreekrishna@yahoo.com, info@skanlab.com, Web : www.shreekrishna.com

TEST CERTIFICATE

EH/UPF/02

Issued To	OM BOND MARKETING PVT. LTD, VILLAGE-BANGAT KALAN BHATINDA (PUNJAB) PUNJAB	Report No.	EHV/206/2021/02
Nature of the Sample	Raw Water plezometer-3	Date Of Sampling	21/03/2021
Customer Ref. No	NG	Test Started On	26/03/2021
		Test Completed on	25/03/2021

Description : One Raw water sample marked as plezometer-3 was collected by us on 18.03.2021

SAMPLING DETAILS

Sample Quantity : 5.0 Ltr
Sample Packing & Marking : In Sealed Plastic Bottle & Glass Bottle
Sampling Location : NG

TEST RESULTS

S.No.	Test Parameters	Units	Results	Method
1	Colour	Hazen	<5	IS : 3025 (P-4)
2	Odour	-	Agreeable	IS : 3025 (P-5)
3	pH	-	7.16	IS : 3025 (P-11)
4	Total Dissolved Solids	mg/l	730.0	IS:3025 (P-16)
5	Biochemical Oxygen Demand(for 3 days at 27 deg. C)	mg/l	BDL(<2)	IS : 3025 (P-44)

Remarks : Detection Limit (mg/l)

End of Report

K. K. K.
Analyst

Authorized Signatory

Narendra Kumar Giri

1. The results listed refer only to tested samples and applicable parameters. Endorsement of product is neither inferred nor implied.
2. Test Certificate in full or parts shall not be used for Promotional or Publicity Purposes & cannot be used as an evidence in the court of law.
3. Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
4. Total Liability of our Analytical Division is limited to the involved amount.
5. Sample (s) not drawn by us unless otherwise stated.
6. Results given in report are related to sample tested.



SHREE KRISHNA ANALYTICAL SERVICES PVT. LTD.

(An ISO 9001 : 2015, ISO 14001 : 2015 & OHSAS 18001 : 2007)

Govt. Approved Laboratory, Recognised by MoEF

A-5/4, Mayapuri Industrial Area, Phase-II, New Delhi-110004, Ph. : 011-26115459, 41648475, 9654958120

E-mail : shreekrishnalab@gmail.com, info@skaslab.com, Web : www.skaslab.com

TEST CERTIFICATE

ENV/TF/02

Issued To	OM SONS MARKETING PVT.LTD. VILLAGE-SANGAT KALAN BHATINDA (PUNJAB) PUNJAB,	Report No.	ENV-200021001
Nature of the Sample	Raw water piezometer-2	Date Of Sampling	20/09/2021
Customer Ref. No	NS	Test Started On	20/09/2021
		Test Completed on	25/09/2021

Description : One Raw water sample marked as piezometer-2 was collected by us on.18.09.2021.

SAMPLING DETAILS

Sample Quantity : 5.0 Ltr
Sample Packing & Marking : in sealed Plastic Bottle & Glass Bottle
Sampling Location : NS

TEST RESULTS

S.No.	Test Parameters	Units	Results	Method
1	Colour	Hazen	Agreeable	IS : 3025 (P-4)
2	Odour	-	Agreeable	IS : 3025 (P-5)
3	pH	-	7.38	IS : 3025 (P-11)
4	Total Dissolved Solids	mg/l	690.0	IS:3025 (P-16)
5	Biochemical Oxygen Demand(for 3 days at 27 deg. C)	mg/l	BDL(<2.0)	IS : 3025 (P-44)

Remarks : Detection Limit (mg/l)

End of Report

K. K. K.
Analyst


Authorized Signatory
Narendra Kumar Giri

1. The results listed refer only to tested samples and applicable parameters. Endorsement of product is neither inferred nor implied.
2. Test Certificate in full or parts shall not be used for Promotional or Publicity Purposes & cannot be used as an evidence in the court of law.
3. Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
4. Total Liability of our Analytical Division is Limited to the invoiced amount.
5. Sample (s) not drawn by us unless other wise stated.
6. Results given in report are related to sample Tested.



SHREE KRISHNA ANALYTICAL SERVICES PVT. LTD.

(An ISO 9001 : 2015, ISO 14001 : 2015 & OHSAS 18001 : 2007)

Govt. Approved Laboratory, Recognised by MoEF

A-5/4, Mayapuri Industrial Area, Phase-II, New Delhi-110064, Ph. : 011-28115459, 41848475, 9654958120

E-mail : shreekrishnalab@gmail.com, info@skaslab.com, Web. : www.skaslab.com

TEST CERTIFICATE

ENVT/RF/02

Issued To	OM SONS MARKETING PVT.LTD. VILLAGE-SANGAT KALAN, BHATINDA (PUNJAB) PUNJAB	Report No.	ENV-200921060
		Date Of Sampling	21/09/2021
Nature of the Sample	Raw water piezometer-1	Test Started On	20/09/2021
Customer Ref. No		Test Completed on	25/09/2021

Description : One Raw water sample marked as piezometer-1 was collected by us on.18.09.2021.

SAMPLING DETAILS

Sample Quantity : 5.0 Ltr
Sample Packing & Marking : insealed plastic bottle & Glass Bottle
Sampling Location : NS

TEST RESULTS

S.No.	Test Parameters	Units	Results	Method
1	Colour	Hazen	<5	IS : 3025 (P-4)
2	Odour	-	Agreeable	IS : 3025 (P-5)
3	pH	-	7.25	IS : 3025 (P-11)
4	Total Dissolved Solids	mg/l	710	IS:3025 (P-16)
5	Biochemical Oxygen Demand(for 3 days at 27 deg. C)	mg/l	BDL(<2.0)	IS : 3025 (P-44)

Remarks : Detection Limit (mg/l)

End of Report

Kuldeep
Analyst

Narendra Kumar Giri
Authorized Signatory
Narendra Kumar Giri

1. The results listed refer only to tested samples and applicable parameters. Enforcement of product is neither inferred nor implied.
2. Test Certificate in full or parts shall not be used for Promotional or Publicity Purposes & cannot be used as an evidence in the court of law.
3. Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
4. Total Liability of our Analytical Division is Limited to the invoiced amount.
5. Sample (s) not drawn by us unless other wise stated.
6. Results given in report are related to sample Tested.



SHREE KRISHNA ANALYTICAL SERVICES PVT. LTD.

(An ISO 9001 : 2015, ISO 14001 : 2015 & OHSAS 18001 : 2007)

Govt. Approved Laboratory, Recognised by MoEF

A-5/4, Mayapuri Industrial Area, Phase-II, New Delhi-110064, Ph. : 011-28115459, 41848475, 9654958120

E-mail : shreekrishnalab@gmail.com, info@skaslab.com, Web. : www.skaslab.com

TEST CERTIFICATE

ENVT/RF/02

Issued To	OM SONS MARKETING PVT.LTD. VILLAGE-SANGAT KALAN BHATINDA (PUNJAB) PUNJAB	Report /Sample No.	ENV-200921068
		Date Of Sampling	20/09/2021
		Date Received in Lab	20/09/2021
Nature of the Sample	ETP OUTLET WATER (CPU)	Test Started On	20/09/2021
Customer Ref. No	NS	Test Completed on	25/09/2021

Description : One Waste water (CPU) from Outlet of ETP was Collected by us on 18.09.2021

SAMPLING & ANALYSIS DATA

Sample Drawn By : Mr Abhishek
Sampling Location : NS
Sample Quantity : 5.0 Ltr
Sample packing Details : Insealed plastic Bottle & Glass Bottle
Sample Description : ETP Outlet Water (CPU)
Required Test Standard : As Per EP Act-1986

TEST RESULTS

S.No.	Test Parameters	Units	Results	LIMITS	Method
1	pH	-	7.28	5.5 to 9.0	IS : 3025 (P-11)
2	Total Suspended Solids	mg/l	14.0	100	IS : 3025 (P-17)
3	Total Dissolved Solids	mg/l	224.0	-	IS:3025 (P-16)
4	Oil & Grease	mg/l	4.6	10	IS : 3025 (P-39)
5	Biochemical Oxygen Demand(for 3 days at 27 deg. C)	mg/l	19.0	30	IS : 3025 (P-44)
6	Chemical Oxygen Demand	mg/l	110.0	250	IS : 3025 (P-58)

Remarks : Detection Limit (mg/l)

End of Report

Kishor
Analyst

Narendra Kumar Giri
Authorized Signatory

1. The results listed refer only to tested samples and applicable parameters. Endorsement of product is neither inferred nor implied.
2. Test Certificate in full or parts shall not be used for Promotional or Publicity Purposes & cannot be used as an evidence in the court of law.
3. Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
4. Total Liability of our Analytical Division is Limited to the Invoiced amount.
5. Sample (s) not drawn by us unless other wise stated.
6. Results given in report are related to sample Tested.



SHREE KRISHNA ANALYTICAL SERVICES PVT. LTD.

(An ISO 9001 : 2015, ISO 14001 : 2015 & OHSAS 18001 : 2007)

Govt. Approved Laboratory, Recognised by MoEF

A-5/4, Mayapuri Industrial Area, Phase-II, New Delhi-110064, Ph. : 011-28115459, 41848475, 9654958120

E-mail : shrookrishnalab@gmail.com, info@skaslab.com, Web. : www.skaslab.com

TEST CERTIFICATE

ENVT/RF/02

Issued To	OM SONS MARKETING PVT.LTD. VILLAGE-SANGAT KALAN BHATINDA (PUNJAB) PUNJAB	Report /Sample No.	ENV-200921056
		Date Of Sampling	20/09/2021
		Date Received in Lab	20/09/2021
Nature of the Sample	ETP (Out Let)	Test Started On	20/09/2021
Customer Ref. No	NS	Test Completed on	25/09/2021

SAMPLING & ANALYSIS DATA

Sample Drawn By : Mr.Abhishek
Sampling Location : NS
Sample Quantity : 5.0 Ltr
Sample packing Details : Plastic Bottle & Glass Bottle
Sample Description : Etp outlet
Required Test Standard : As Per EP Act-1986

TEST RESULTS

S.No.	Test Parameters	Units	Results	LIMITS	Method
1	pH	-	7.16	5.5 to 9.0	IS : 3025 (P-11)
2	Total Suspended Solids	mg/l	24.0	100	IS : 3025 (P-17)
3	Total Dissolved Solids	mg/l	260.0	-	IS:3025 (P-16)
4	Oil & Grease	mg/l	5.4	10	IS : 3025 (P-39)
5	Biochemical Oxygen Demand(for 3 days at 27 deg. C)	mg/l	24.0	30	IS : 3025 (P-44)
6	Chemical Oxygen Demand	mg/l	130.0	250	IS : 3025 (P-58)

Remarks : Detection Limit (mg/l)

End of Report

Kuldeep
Analyst

Narendra Kumar Giri
Authorized Signatory
Narendra Kumar Giri

1. The results listed refer only to tested samples and applicable parameters. Endorsement of product is neither inferred nor implied.
2. Test Certificate in full or parts shall not be used for Promotional or Publicity Purposes & cannot be used as an evidence in the court of law.
3. Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
4. Total Liability of our Analytical Division is Limited to the Invoiced amount.
5. Sample (s) not drawn by us unless otherwise stated.
6. Results given in report are related to sample Tested.



SHREE KRISHNA ANALYTICAL SERVICES PVT. LTD.

(An ISO 9001 : 2008, ISO 14001 : 2015 & OHSAS 18001 : 2007)

Govt. Approved Laboratory, Recognised by MOEF

A-54, Mayapuri Industrial Area, Phase-II, New Delhi-110064, Ph. : 011-28116459, 41848475, 9654058120

E-mail : shreekrishnalab@gmail.com, info@skaslab.com, Web. : www.skaslab.com

TEST CERTIFICATE

Issued to	OM SONS MARKETING PVT LTD VILLAGE:SANGAT, KALAN, BHATINDA PUNJAB	Report No	ENV-200921058
		Date Of Monitoring	18.09.2021
		Date of Receiving	20.09.2021
Sample Name	DG Noise		
Customer Ref. No	NS	Date of Reporting	25.09.2021
Sample Location	DG Set-(1000 KVA+500KVA+250 KVA)		

Description: One DG Noise level was monitored by us on 18.09.2021

TEST RESULT

S. No.	Location	Unit of Measurements	Result	Requirements As per EPA	Method Reference
1.	Noise Level when Aquatic Room is open	dB(A)	100.9	-	IS 9876: 1981, RA 1997
2.	Noise Level when Aquatic Room is Close at Distance 1meter	dB(A)	73.3	75 Max.	IS 9876: 1981, RA 1997
3.	Insertion Loss	dB (A)	27.6	25 Min	-

****End of Report****

Kuldeep
Analyst

Narendra Kumar Giri
Authorized Signatory
Narendra Kumar Giri

1. The results listed refer only to tested samples and applicable parameters. Endorsement of product is neither inferred nor implied.
2. Test Certificate in full or parts shall not be used for Promotional or Publicity Purposes & cannot be used as an evidence in the court of law.
3. Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
4. Total Liability of our Analytical Division is Limited to the invoiced amount.
5. Sample (s) not drawn by us unless otherwise stated.
6. Results given in report are related to sample Tested.



SHREE KRISHNA ANALYTICAL SERVICES PVT. LTD.

(An ISO 9001 : 2008, ISO 14001 : 2015 & OHSAS 18001 : 2007)

Govt. Approved Laboratory, Recognised by MOEF

A-5/4, Mayapuri Industrial Area, Phase-II, New Delhi-110064, Ph : 011-28115459, 41848475, 9654958120

E-mail : shreekrishnalab@gmail.com, info@skaslab.com, Web : www.skaslab.com

TEST CERTIFICATE

Issued To	OM SONS MARKETING PVT LTD VILLAGE: SANGAT, KALAN, BHATINDA PUNJAB	Report No	ENV-200921057
		Date Of Monitoring	18.09.2021 to 19.09.2021
Nature of sample	Ambient Noise Level		
Testing Location	Site Testing		
Sampling Protocol	IS:9989- 1989RA 2008		

Description : One Ambient Noise level Monitoring was carried out on 18.09.2021 to 19.09.2021 & following value were Observed.

Ambient Noise Level

MONITORING DETAILS

Date of Monitoring

: 18.09.2021 to 19.09.2021

Monitoring Done by

: Mr. Abhishek

Monitoring Protocol

: SOP/SKAS/Noise/01/01.04.2016

Weather Condition

: Clear Sky

TEST RESULT

S. No	Location	Unit	Result	Test Method
1.	Near Boiler	dB(A)	72.3	SOP/SKAS/Noise/01/01.04.2016
2.	Near Ware House	dB(A)	72.7	SOP/SKAS/Noise/01/01.04.2016
3.	Near HR Office	dB(A)	61.9	SOP/SKAS/Noise/01/01.04.2016
4.	Near Bottling Plant	dB(A)	68.3	SOP/SKAS/Noise/01/01.04.2016
5.	Near D.M Plant	dB(A)	69.5	SOP/SKAS/Noise/01/01.04.2016
6.	Near Store Section	dB(A)	70.6	SOP/SKAS/Noise/01/01.04.2016
7.	Near Husk Yard	dB(A)	70.9	SOP/SKAS/Noise/01/01.04.2016
8.	Near Turbine Area	dB(A)	73.3	SOP/SKAS/Noise/01/01.04.2016
9.	Near ETP	dB(A)	67.5	SOP/SKAS/Noise/01/01.04.2016
10.	Near Main Gate	dB(A)	62.5	SOP/SKAS/Noise/01/01.04.2016
11.	Near Fermentation Area	dB(A)	72.5	SOP/SKAS/Noise/01/01.04.2016
12.	Near Distillation Area	dB(A)	70.3	SOP/SKAS/Noise/01/01.04.2016
13.	Near Compressor Room	dB(A)	69.7	SOP/SKAS/Noise/01/01.04.2016

****End of Report****

Kuldeep
Analyst


Authorized Signatory
Narender Kumar Giri

1. The results listed refer only to tested samples and applicable parameters. Endorsement of product is neither inferred nor implied.
2. Test Certificate in full or parts shall not be used for Promotional or Publicity Purposes & cannot be used as an evidence in the court of law.
3. Samples will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
4. Total Liability of our Analytical Division is limited to the invoiced amount.
5. Samples (s) not drawn by us unless otherwise stated.
6. Results given in report are related to sample Tested.



SHREE KRISHNA ANALYTICAL SERVICES PVT. LTD.

(An ISO 9001 : 2008, ISO 14001 : 2015 & OHSAS 18001 : 2007)

Govt. Approved Laboratory, Recognised by MOEF

A-5/4, Mayapuri Industrial Area, Phase-II, New Delhi-110064, Ph. : 011-28115459, 41848475, 9654958120

E-mail : shreekrishnalab@gmail.com, info@skaslab.com, Web. : www.skaslab.com

TEST CERTIFICATE

Issued to	OM SONS MARKETING PVT LTD VILLAGE SANGAT, KALAN, DHATINDA PUNJAB	Report No	ENV-200921059
		Date Of Monitoring	18.09.2021
		Test started on	20.09.2021
Sample Name	DG Stack Emission	Test Completed on	25.09.2021

Description: One Stack Emission Sample was monitored by on 18.09.2021

Sampling Details:

Instrument Used for Monitoring : STACK MONITORING KIT

OFFICIAL DETAIL

Plant/Section : D.G SECTION

Stack identification : STACK ATTACHED WITH DG SET

Source of Emission : DG SET(1000 KVA+500 KVA+250KVA)

Product Manufacturing : NA

Emission Control (if any) : NIL

TECHNICAL Detail

Capacity : (1000 KVA+500 KVA+250KVA)

Type of Stack : METAL

Diameter of stack : 25Cm

Height from Ground Level : 9.0 mtr.

Type of fuel used : Diesel

Normal operating schedule : AS PER REQUIREMENT

Duration of Monitoring (Minutes) : 30

Observations at Site

Ambient Temperature (°C) : 30

Stack Temperature (°C) : 325.0

Velocity (m/s) : 12.54

Quantity of Emission (Nm³/hr) : 1120.36

Test Results

S. No.	Parameter	Results	Units	Requirements as per EPA	Test Methods
1.	Particulate Matter(as PM) 15% O ₂ Correction	64.0	mg/nm ³	75.0	IS 11255 (Part -1)
2.	Oxide of Nitrogen (as NOX)	441.0	ppmv	710.0	IS-11255(Part-7)
3.	Carbon Monoxide (as CO) (at 12 % O ₂)	125.0	mg/nm ³	150.0	IS 13270
4.	Sulphur Dioxide (as SOX)	33.0	mg/nm ³	-	IS 11255 (Part-2)
5.	NON Methane Hydrocarbon(as c)15% O ₂ Correction	33.0	mg/nm ³	100.0	CEPA429

****End of Report****

Kuldeep
Analyst


Authorized Signatory

Narendra Kumar Giri

1. The results listed refer only to tested samples and applicable parameters. Endorsement of product is neither inferred nor implied.
2. Test Certificate in full or parts shall not be used for Promotional or Publicity Purposes & cannot be used as an evidence in the court of law.
3. Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
4. Total Liability of our Analytical Division is Limited to the Invoiced amount.
5. Sample (s) not drawn by us unless other wise stated.
6. Results given in report are related to sample Tested.



SHREE KRISHNA ANALYTICAL SERVICES PVT. LTD.

(An ISO 9001 : 2015, ISO 14001 : 2015 & OHSAS 18001 : 2007)

Govt. Approved Laboratory, Recognised by MoEF

A-5/4, Mayapuri Industrial Area, Phase-II, New Delhi-110064, Ph. : 011-28115459, 41848475, 9654958120

E-mail : shrookrishnalab@gmail.com, info@skaslab.com, Web. : www.skaslab.com

TEST CERTIFICATE

Issued To	OM SONS MARKETING PVT.LTD. VILLAGE-SANGAT KALAN BHATINDA (PUNJAB) PUNJAB	Report No	ENV-200921055
Nature of the Sample	AMBIENT AIR QUALITY	Date Of Monitoring Sample Issue In Lab	18/09/2021 to 19/09/2021 20/09/2021
Customer Ref. No	NS	Test Started On	20/09/2021
		Test Completed on	25/09/2021

Description : One Ambient Air sample was collected by us on 18.09.2021 to 19.09.2021


Sampling Details:

Type of Monitoring	: Ambient Air
Location of Sampling Point	: Near Etp Area
Sampling Started on	: 18/09/2021
Sampling Completed on	: 19/09/2021
Sampling done By	: Mr.Abhishek
Actual Time of Sampling (min)	: 1440
Average flow Rate for Particulate Matter	: 1 (for pm10) 1.13m3/min
Total Volume of air sampled for Particulate Matter (m3)	: (1 for pm 10)1627.2
Environmental Conditions	: Normal
Average Temperature Degree Celsius	: 30

Test Result

S.No.	Test Parameters	Units	Results	Requirement permissible limits AS PER NAAQS/CPCB	Test Method
1	Particulate Matter, PM 10	ug/m3	73.0	100	IS: 5182 (p-23)
2	Particulate Matter, PM 2.5	ug/m3	39.0	60	SOP1/SKAS/Ambient Air/01/010416 based on Gravimetric/ CPCB NAAQS Method, volume 1, May 2011
3	Sulphur Dioxide (as SO ₂)	ug/m3	12.4	80	IS: 5182 (P-2)
4	Carbon Monoxide (as CO)	mg/m3	1.09	4(Hourly)	IS: 5182 (P-10)
5	Nitrogen Dioxide (as NO ₂)	ug/m3	27.5	80	IS: 5182 (P-6)

Kuldeep
Analyst


Authorized Signatory
Narendera Kumar Giri

1. The results listed refer only to tested samples and applicable parameters. Endorsement of product is neither inferred nor implied.
2. Test Certificate in full or parts shall not be used for Promotional or Publicity Purposes & cannot be used as an evidence in the court of law.
3. Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
4. Total Liability of our Analytical Division is Limited to the Invoiced amount.
5. Sample (s) not drawn by us unless otherwise stated.
6. Results given in report are related to sample Tested.



SHREE KRISHNA ANALYTICAL SERVICES PVT. LTD.

(An ISO 9001 : 2015, ISO 14001 : 2015 & OHSAS 18001 : 2007)

Govt. Approved Laboratory, Recognized by MoEF

A-5/4, Mayapuri Industrial Area, Phase II, New Delhi 110064, Ph. : 011-28115459, 41848475, 9654958120

E-mail : shreekrishnalab@gmail.com, info@skanlab.com, Wpb. : www.skaslab.com

TEST CERTIFICATE

Issued To	OM SONS MARKETING PVT.LTD. VILLAGE-SANGAT KALAN, BHATINDA (PUNJAB) PUNJAB	Report No	ENV-200921054
		Date Of Monitoring Sample Issue In Lab	18/09/2021 to 19/09/2021 20/09/2021
Nature of the Sample	AMBIENT AIR QUALITY	Test Started On	20/09/2021
Customer Ref. No	NS	Test Completed on	25/09/2021

Description : One Ambient Air sample was collected by us on 18.09.2021 to 19.09.2021

Sampling Details:

Type of Monitoring : Ambient Air
Location of Sampling Point : Near Main Gate
Sampling Started on : 18/09/2021
Sampling Completed on : 19/09/2021
Sampling done By : Mr. Abhishek
Actual Time of Sampling (min) : 1440
Average flow Rate for Particulate Matter : 1For(pm10)1.12m3/min
Total Volume of air sampled for Particulate Matter (m3) : (1for pm10) 1612.8
Environmental Conditions : Normal
Average Temperature Degree Celsius : 30

Test Result

S.No.	Test Parameters	Units	Results	Requirement permissible limits AS PER NAAQS/CPCB	Test Method
1	Particulate Matter, PM 10	ug/m3	74.0	100	IS: 5182 (p-23)
2	Particulate Matter, PM 2.5	ug/m3	37.0	60	SOP1/SKAS/Ambient Air/01/010416 based on Gravimetric/ CPCB NAAQS Method, volume 1, May 2011
3	Sulphur Dioxide (as SO2)	ug/m3	10.4	80	IS: 5182 (P-2)
4	Carbon Monoxide (as CO)	mg/m3	1.16	4(Hourly)	IS: 5182 (P-10)
5	Nitrogen Dioxide (as NO2)	ug/m3	27.5	80	IS: 5182 (P-6)

Kuldeep
Analyst


Authorized Signatory
Narendra Kumar Giri

1. The results listed refer only to tested samples and applicable parameters. Endorsement of product is neither inferred nor implied.
2. Test Certificate in full or parts shall not be used for Promotional or Publicity Purposes & cannot be used as an evidence in the court of law.
3. Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
4. Total Liability of our Analytical Division is Limited to the invoiced amount.
5. Sample (s) not drawn by us unless otherwise stated.
6. Results given in report are related to sample Tested.



SHREE KRISHNA ANALYTICAL SERVICES PVT. LTD.

(An ISO 9001 : 2015, ISO 14001 : 2015 & OHSAS 18001 : 2007)

Govt. Approved Laboratory, Recognised by MoEF

A-5/4, Mayapuri Industrial Area, Phase-II, New Delhi-110064, Ph. : 011-28115459, 41848475, 9654958120

E-mail : shreekrishnalab@gmail.com, info@skaslab.com, Web : www.skaslab.com

TEST CERTIFICATE

Issued To	OM SONS MARKETING PVT.LTD. VILLAGE-SANGAT KALAN BHATINDA (PUNJAB) PUNJAB	Report No	ENV-200921053
		Date Of Monitoring Sample Issue In Lab	18/09/2021 to 19/09/2021 20/09/2021
Nature of the Sample	AMBIENT AIR QUALITY	Test Started On	20/09/2021
Customer Ref. No		Test Completed on	25/09/2021

Description : One Ambient Air sample was collected by us on 18.9.2021 to 19.09.2021

Sampling Details:

Type of Monitoring	: AMBIENT AIR
Location of Sampling Point	: Near Boiler
Sampling Started on	: 18/09/2021
Sampling Completed on	: 19/09/2021
Sampling done By	: Mr.Abhishek
Actual Time of Sampling (min)	: 1440
Average flow Rate for Particulate Matter	: 1 for (pm10) 1.0m3/min
Total Volume of air sampled for Particulate Matter (m3)	: (1forpm10)1440
Environmental Conditions	: Normal
Average Temperature Degree Celsius	: 30

Test Result

S.No.	Test Parameters	Units	Results	Requirement permissible limits AS PER NAAQS/CPCB	Test Method
1	Particulate Matter, PM 10	ug/m3	63.0	100	IS: 5182 (p-23)
2	Particulate Matter, PM 2.5	ug/m3	34.0	60	SOP1/SKAS/Ambient Air/01/010416 based on Gravimetric/ CPCB NAAQS Method, volume 1, May 2011
3	Sulphur Dioxide (as SO2)	ug/m3	11.2	80	IS: 5182 (P-2)
4	Carbon Monoxide (as CO)	mg/m3	1.06	4(Hourly)	IS: 5182 (P-10)
5	Nitrogen Dioxide (as NO2)	ug/m3	24.7	80	IS: 5182 (P-6)

Kiddul
Analyst

Authorized Signatory
Narendra Kumar Giri

1. The results listed refer only to tested samples and applicable parameters. Endorsement of product is neither inferred nor implied.
2. Test Certificate in full or parts shall not be used for Promotional or Publicity Purposes & cannot be used as an evidence in the court of law.
3. Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
4. Total Liability of our Analytical Division is limited to the invoiced amount.
5. Sample (s) not drawn by us unless otherwise stated.
6. Results given in report are related to sample tested.



SHREE KRISHNA ANALYTICAL SERVICES PVT. LTD.

(An ISO 9001 : 2015, ISO 14001 : 2015 & OHSAS 18001 : 2007)

Govt. Approved Laboratory, Recognised by MoEF

A-5/4, Mayapuri Industrial Area, Phase-II, New Delhi-110064, Ph. : 011-28115459, 41848475, 9654958120

E-mail : shrookrishnalab@gmail.com, info@skaslab.com, Web. : www.skaslab.com

TEST CERTIFICATE

Issued To	OM SONS MARKETING PVT.LTD. VILLAGE-SANGAT KALAN BHATINDA (PUNJAB) PUNJAB	Report No	ENV-200921052
Nature of the Sample	AMBIENT AIR QUALITY	Date Of Monitoring Sample Issue In Lab	18/09/2021 to 19/09/2021 20/09/2021
Customer Ref. No		Test Started On	20/09/2021
		Test Completed on	25/09/2021

Description : One Ambient Air sample was collected by us on 18.09.2021 to 19.09.2021

Sampling Details:

Type of Monitoring	: Ambient Air
Location of Sampling Point	: Near Ware House
Sampling Started on	: 18/09/2021
Sampling Completed on	: 19/09/2021
Sampling done By	: Mr.Abhishek
Actual Time of Sampling (min)	: 1440
Average flow Rate for Particulate Matter	: 1for(pm10)1.13m3/min
Total Volume of air sampled for Particulate Matter (m3)	: (1for pm10)1627.2
Environmental Conditions	: Normal
Average Temperature Degree Celsius	: 30

Test Result

S.No.	Test Parameters	Units	Results	Requirement permissible limits AS PER NAAQS/CPCB	Test Method
1	Particulate Matter, PM 10	ug/m3	71.0	100	IS: 5182 (p-23)
2	Particulate Matter, PM 2.5	ug/m3	31.0	60	SOP1/SKAS/Ambient Air/01/010416 based on Gravimetric/ CPCB NAAQS Method, volume 1, May 2011
3	Sulphur Dioxide (as SO ₂)	ug/m3	8.8	80	IS: 5182 (P-2)
4	Carbon Monoxide (as CO)	mg/m3	1.11	4(Hourly)	IS: 5182 (P-10)
5	Nitrogen Dioxide (as NO ₂)	ug/m3	32.0	80	IS: 5182 (P-6)

Kuldeep
Analyst

Authorized Signatory
Narendra Kumar Giri

1. The results listed refer only to tested samples and applicable parameters. Endorsement of product is neither inferred nor implied.
2. Test Certificate in full or parts shall not be used for Promotional or Publicity Purposes & cannot be used as an evidence in the court of law.
3. Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
4. Total Liability of our Analytical Division is Limited to the Invoiced amount.
5. Sample (s) not drawn by us unless otherwise stated.
6. Results given in report are related to sample Tested.



SHREE KRISHNA ANALYTICAL SERVICES PVT. LTD.

(An ISO 9001 : 2015, ISO 14001 : 2015 & OHSAS 18001 : 2007)

Govt. Approved Laboratory, Recognised by MoEF

A-5/4, Mayapuri Industrial Area, Phase II, New Delhi-110064, Ph : 011-28115459, 41848475, 9854958120

E-mail : shreekrishnalab@gmail.com, info@skaslab.com, Web : www.skaslab.com

TEST CERTIFICATE

Issued To	OM SONS MARKETING PVT.LTD. VILLAGE-SANGAT KALAN BHATINDA (PUNJAB) PUNJAB	Report No	ENV-200921051
		Date Of Monitoring Sample Issue In Lab	18/09/2021 to 19/09/2021 20/09/2021
Nature of the Sample	AMBIENT AIR QUALITY	Test Started On	20/09/2021
Customer Ref. No		Test Completed on	25/09/2021

Description : One Ambient Air Sample was collected by us on 18.9.2021 to 19.09.2021

Sampling Details:

Type of Monitoring : Ambient Air
Location of Sampling Point : Near Distillation Section
Sampling Started on : 18/09/2021
Sampling Completed on : 19/09/2021
Sampling done By : Mr.Abhishek
Actual Time of Sampling (min) : 1440
Average flow Rate for Particulate Matter : 1(For pm10) 1.12 m3/min
Total Volume of air sampled for Particulate Matter (m3) : (1For pm10) 1612.8
Environmental Conditions : Normal
Average Temperature Degree Celsius : 30

Test Result

S.No.	Test Parameters	Units	Results	Requirement permissible limits AS PER NAAQS/CPCB	Test Method
1	Particulate Matter, PM 10	ug/m3	77.0	100	IS: 5182 (p-23)
2	Particulate Matter, PM 2.5	ug/m3	34.0	60	SOP1/SKAS/Ambient Air/01/010416 based on Gravimetric/ CPCB NAAQS Method, volume 1, May 2011
3	Sulphur Dioxide (as SO2)	ug/m3	12.0	80	IS: 5182 (P-2)
4	Carbon Monoxide (as CO)	mg/m3	0.96	4(Hourly)	IS: 5182 (P-10)
5	Nitrogen Dioxide (as NO2)	ug/m3	30.1	80	IS: 5182 (P-6)

Kuldeep
Analyst


Authorized Signatory

Narendra Kumar Giri

1. The results listed refer only to tested samples and applicable parameters. Endorsement of product is neither inferred nor implied.
2. Test Certificate in full or parts shall not be used for Promotional or Publicity Purposes & cannot be used as an evidence in the court of law.
3. Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
4. Total Liability of our Analytical Division is Limited to the invoiced amount.
5. Sample (s) not drawn by us unless otherwise stated.
6. Results given in report are related to sample Tested.